



“Italian Society of Urodynamics’ (SIUD) postpartum pelvic dysfunctions card” SIUD PPD CARD

SIUD PPD CARD

Section I: DELIVERY CARD

Surname.....Name.....(mother) NUMBER/TEXT YES NO
 Delivery date/...../.....

Age (mother)			
Previous vaginal delivery (number)			
BMI (at delivery)			
Dystocic labour (type)		yes	no
Shoulder dystocia		yes	no
Second stage of labour (minutes)			
Precipitous labour		yes	no
Induced labor (if “yes”, specify the method: oxytocine, prostaglandines, amniotomy/other)		yes	no
If induced labor specify the clinical indication: hypertensive disorders/gestational diabetes/post-term prolonged pregnancy/premature membrane rupture/other			
Emergency caesarean section		yes	no
Elective caesarean section		yes	no
Episiotomy (if “yes”, specify if midline or mediolateral)		yes	no
Vaginal-perineal tear (0-4 scale as reported below)*		yes	no
Episiotomy complications (infection, haematoma, tear, other)			
Vacuum extraction delivery		yes	no
Forceps delivery		yes	no
Kristeller maneuver		yes	no
Epidural analgesia		yes	no
Cefalic circumference (cm)			
Fetal weight (grams)			
Twin birth (number)		yes	no
Labour position (recumbent, squat, on all fours, on the side, into water, other)			

Urinary retention after delivery (if persistent after 24 hours)	yes	no
---	-----	----

Dysfunctions before delivery	Before pregnancy		During pregnancy	
Stress urinary incontinence	yes	no	yes	no
Urge urinary incontinence	yes	no	yes	no
Anal incontinence (flatus)	yes	no	yes	no
Anal incontinence (stool)	yes	no	yes	no
Dyspareunia	yes	no	yes	no



“Italian Society of Urodynamics’ (SIUD) postpartum pelvic dysfunctions card” SIUD PPD CARD

**Perineal-vaginal tear grading*

Intact No tissue separation at any site

First degree	Injury to the skin only (i.e. involving the fourchette, perineal skin and vaginal mucous membrane)	
Second	Injury to the perineum involving perineal muscles but not the anal sphincter	
Third degree	Injury to perineum involving the anal sphincter complex	<ul style="list-style-type: none"> • 3a: Less than 50% of external anal sphincter thickness torn • 3b: More than 50% of external anal sphincter thickness torn • 3c: Both internal and external anal sphincter torn
Fourth	Injury to perineum involving the anal sphincter complex (external and internal anal sphincter) and anal epithelium and /or rectal mucosa)	